

Prosolve Temporary Line Marker Safety Data Sheet

VIEW PRODUCT

https://www.linemarkerpaint.co.uk/product/temporary-line-marker-paint/

Sales & Expert Advice 0800 124 4507

No. 1907/2006 (REACH) Printed 07.08.2016

revision 07.06.2016 (GB) Version 1.0

Temporary Line Marker(GB) Bio-degradable Formula

! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Temporary Line Marker(GB)

Code: PVT

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended intended purpose(s)

Technical Aerosols

! SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

! Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

Aerosol 1 H222, H229 Aquatic Chronic 2 H411

Hazard Statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.H411 Toxic to aquatic life with long lasting effects.

2.2. Label elements

No. 1907/2006 (REACH)
Printed 07.08.2016

revision 07.06.2016 (GB) Version 1.0

Temporary Line Marker(GB)

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]





! Signal word

Danger

Hazard Statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P273 Avoid release to the environment.

P410 + P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

Product has an anesthetic effect.

Information pertaining to special dangers for human and environment

In extensive use, formation of flammable / explosive vapour-air mixture is possible.

! Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

! SECTION 3: Composition/ information on ingredients

Description

Line Marker based on synthetic resin binder, solvent and pigments.

3.2. Mixtures

! Hazardous ingredients

| CAS No | EC No | Name | [% weight] | Classification according to Regulation (EC) No 1272/2008 [CLP/GHS] |
|------------|-----------|-------------------|---------------|---|
| 25587-80-8 | N/A | Polyamide resin | 10<12 | No Classified |
| N/A | N/A | Pigment | 12< 18 | No Classified |
| 115-10-6 | 204-065-8 | Dimethyl ether | 30< 34 | Flam. Gas 1, H220 / Press. Gas, H280 |
| 471-34-1 | 207-439-9 | Calcium carbonate | 20 < 24 | No Classfied |
| 64-17-5 | 200-578-6 | Ethyl Alcohol | 18< 20 | Flam. Liq. 2; Eye Dam., 2A; H225; H319; |
| 1317-80-2 | 257-372-4 | Titanium Dioxide | 9< 10 | No Classified |

No. 1907/2006 (REACH)
Printed 07.08.2016

revision 07.06.2016 (GB) Version 1.0

Temporary Line Marker(GB)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

In case of inhalation

Remove the casualty into fresh air and keep him immobile.

In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off with soap and water.

Consult a doctor if skin irritation persists.

In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

In case of ingestion

Do not induce vomiting.

Medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

! SECTION 5: Firefighting measures

5.1. Extinguishing media

! Suitable extinguishing media

Carbon dioxide

Dry sand

Unsuitable extinguishing media

water

5.2. Special hazards arising from the substance or mixture

May lead to formation of explosive/easily ignitable vapour air mixtures.

Danger of bursting

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

! Additional information

Vapours are heavier than air and will spread on the ground.

Cool endangered containers with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

No. 1907/2006 (REACH)
Printed 07.08.2016

revision 07.06.2016 (GB) Version 1.0

Temporary Line Marker(GB)

! SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

! For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Keep away sources of ignition.

Use breathing apparatus if exposed to vapours/dust/aerosol.

Pay attention to extension of gas especially at ground (heavier than air) and in direction of the wind.

6.2. Environmențal precautions

Inform pollution control authorities if product gets into the sewerage systems or open waters.

Do not discharge into the drains or bodies of water..

6.3. Methods and material for containment and cleaning up

Take up with absorbent material.

After taking up the material dispose according to regulation.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

! SECTION 7: Handling and storage

7.1. Precautions for safe handling

! Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace. Take measures against electrostatically charging.

General protective measures

Avoid contact with eyes and skin

Do not inhale gases/vapours/aerosols.

! Hygiene measures

At work do not eat, drink, smoke or take drugs.

Wash hands before breaks and after work.

! Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking

Do not spray on a naked flame or any incandescent material.

Pressurized container.

Do not pierce or burn even after use.

Vapours can form an explosive mixture with air.

Avoid effect of heat.

Use explosion-proof equipment / fittings and non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in closed original container.

Adhere to administrative regulations relating to storage of compressed gas cylinders / containers.

Further information on storage conditions

Protect from direct solar radiation.

Storage temperature may not exceed 50°C (=122°F).

Store container at cool and aired place.

No. 1907/2006 (REACH)
Printed 07.08.2016

revision 07.06.2016 (GB) Version 1.0

Temporary Line Marker(GB)

7.3. Specific end use(s)

! Recommendation(s) for intended use

See section 1.2

! SECTION 8: Exposure controls/personal protection

8.1. Control parameters

! Ingredients with occupational exposure limits to be monitored

| CAS No | Name | Code | [mg/m3] | [ppm] | Remark |
|----------|----------------|---------|---------|-------|--------|
| 115-10-6 | Dimethyl ether | 8 hours | 1920 | N/A | IOELV |
| 64-17-5 | Ethyl Alcohol | 8 hours | 1920 | 1000 | IOELV |

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC, 2006/15/EC or 2009/161/EU)

| CAS No | Name | Code | [mg/m3] | [ppm] | Remark |
|----------|----------------|---------|---------|-------|-----------|
| 115-10-6 | Dimethyl ether | 8 hours | 1920 | N/A | skin,eye |
| 64-17-5 | Ethyl Alcohol | 8 hours | 950 | 500 | Skin, Eye |

Additional advice

The statutory local and national regulations have to be observed.

8.2. Exposure controls

Respiratory protection

If ventilation insufficient, wear respiratory protection.

Short-term: filter apparatus, filter AX, otherwise environment-independent breathing apparatus.

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: butyl rubber, 0,7mm; 480min

! Eye protection

tightly fitting goggles

Other protection measures

protective clothing

Appropriate engineering controls

Sufficient ventilation and exhaustion.

No. 1907/2006 (REACH)
Printed 07.08.2016

revision 07.06.2016 (GB) Version 1.0

Temporary Line Marker(GB)

! SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceColourOdouraerosolsilver-greysolvent-like

Odour threshold not determined

Important health, safety and environmental information

| | Value | Temperature | at | Method | Remark |
|---|----------------|-------------|----|--------|----------------|
| pH value | not determined | | | | |
| boiling point | not applicable | | | | |
| Melting point / Freezing point | not determined | | | | |
| Flash point | not applicable | | | | Aerosol |
| Vapourisation rate | not determined | | | | |
| Flammable (solid) | not determined | | | | |
| Flammability (gas) | not determined | | | | |
| Ignition temperature | not determined | | | | |
| Self ignition temperature | not determined | | | | |
| Lower explosion limit | not determined | | | | |
| Upper explosion limit | not determined | | | | |
| Vapour pressure | not determined | | | | |
| Relative density | not determined | | | | |
| Vapour density | not determined | | | | |
| Solubility in water | not determined | | | | |
| Solubility/other | not determined | | | | |
| Partition coefficient n- octanol/water (log P O/W) | not determined | | | | |
| Decomposition temperature | not determined | | | | |
| Viscosity dynamic | | | | | not determined |
| Viscosity kinematic | | | | | not determined |
| | | | | | |

Oxidising properties

No information available.

No. 1907/2006 (REACH)
Printed 07.08.2016

revision 07.06.2016 (GB) Version 1.0

Temporary Line Marker(GB)

Explosive properties

The product is considered non-explosive; nevertheless explosive vapour/air mixtures can be generated.

9.2. Other information

No information available.

! SECTION 10: Stability and reactivity

10.1. Reactivity

no

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

10.4. Conditions to avoid

Keep away from heat.

Formation of explosive gas/air mixtures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Thermal decomposition

Remark No decomposition if used as directed.

! SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritability/Sensitization

| | Value/Validation | Species | Method | Remark |
|-----------------------|------------------|---------|--------|---|
| LD50 acute oral | > 2000 mg/kg | rat | | Information concerns to main component. |
| LD50 acute dermal | 1100 mg/kg | | | Xylene |
| LC50 acute inhalation | > 5 mg/l (4 h) | rat | | Aluminium |
| Irritability skin | irritant | | | |
| Irritability eye | irritant | | | |

! Experiences made from practice

Often and long skin contact may cause degreasing and desiccation of the skin which may caus skin irritation. Irritates respiratory tract.

Irritates eyes and skin.

! Additional information

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

No. 1907/2006 (REACH) Printed 07.08.2016

revision 07.06.2016 (GB) Version 1.0

Temporary Line Marker(GB)

! SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

! General regulation

Toxic to aquatic life with long lasting effects.

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into aquatic environment.

! SECTION 13: Disposal considerations

13.1. Waste treatment methods

! Waste code No.

Name of waste

08 01 11*

waste paint and varnish containing organic solvents or other dangerous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

! Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Dispose of according to the local waste regulations.

General information

For proper waste disposal a complete emptying of the tin is necessary.

SECTION 14: Transport information

| | ADR/RID | IMDG | IATA-DGR |
|----------------------------------|----------|------------------------|---------------------|
| 14.1. UN number | 1950 | 1950 | 1950 |
| 14.2. UN proper shipping name | AEROSOLS | AEROSOLS (ZINC POWDER) | Aerosols, flammable |
| 14.3. Transport hazard class(es) | 2.1 | 2.1 | 2.1 |
| 14.4. Packing group | - | - | - |
| 14.5. Environmental hazards | Yes | Yes | Yes |

No. 1907/2006 (REACH)
Printed 07.08.2016

revision 07.06.2016 (GB) Version 1.0

Temporary Line Marker(GB)

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

Land and inland navigation transport ADR/RID

Hazard label(s) 2.1 tunnel restriction code D Classification code 5F

transport in "limited quantities" according to 3.4 ADR is possible

Marine transport IMDG

MARINE POLLUTANT

Transport as limited quantities according to 3.4 IMDG Code is possible.

Transport/further information

24h EMERGENCY CONTACT (TRANSPORT) +49(0)178 433 7434 (Consultank Lutz Harder GmbH)

! SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC content 0 %
VOC value NONE

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EUdirectives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.0

| H220 | Extremely flammable gas. |
|------|--------------------------|
|------|--------------------------|

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H228 Flammable solid.

H261 In contact with water releases flammable gases.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such infomation is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.